

S1	2	"20020076042".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 15:44
S2	2	"6061448".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 15:45
S3	2	"5581616".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 16:09
S4	4	IBE with identity with base\$2 with encrypt\$ and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 16:16
S5	0	(host or authority) with (asymmetric or public) with key with (compute or calculat\$) with (location or address) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 16:16
S6	23	identity near base\$1 near2 encrypt\$ and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 16:17
S7	5	identity near base\$1 near2 encrypt\$ and (authority or host) with (address or name or location) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 16:24
S8	6	identity near base\$1 near2 encrypt\$ and (authority or host or service) with (address or name or location) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 16:24
S9	1	(identity near base\$1 near2 encrypt\$ and (authority or host or service) with (address or name or location) and @ad<="20030625") not (identity near base\$1 near2 encrypt\$ and (authority or host) with (address or name or location) and @ad<="20030625")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 16:29
S10	9	(host or authority or service) with (address or name) with (parameter) with encrypt\$ and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 16:31
S11	967	(host or authority or service) with (address or name) with (parameter) and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 16:31

S12	2	(host or authority or service) with (address or name) with (parameter) with (retriev\$ or obtain\$) with key and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 16:34
S13	193	(host or authority or service) with (address or name) with (retriev\$ or obtain\$) with key and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 16:36
S14	0	(host or authority or service) with (address or name) with (retriev\$ or obtain\$) with key and IBE and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 16:36
S15	193	(host or authority or service) with (address or name) with (retriev\$ or obtain\$) with key and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 16:36
S16	34	(host or authority or service) with (address or name) with (retriev\$ or obtain\$) with key with (public or asymmetric) and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 16:40
S17	10	key near generat\$ with service with (name or address) and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 16:51
S18	64	key near generat\$ with (name or address) with public and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 16:59
S19	18	identity near base\$1 and public with (parameter or informatino or detail) with (stor\$3 or host\$ or service) and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 17:04
S20	110	identity near base\$1 and public with (parameter or information or detail) with (stor\$3 or host\$ or service) and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 17:05
S21	19	identity near base\$1 and public near (parameter or information or detail) with (stor\$3 or host\$ or service) and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 17:08
S22	6	identicrypt.as. and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 17:12
S23	62	directory near service with public adj key and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 17:12

S24	11	directory near service with public adj key and identity near based and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 17:15
S25	12	directory near service with public adj (parameter or information) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 17:16
S26	2	"5272755".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 17:16
S27	2	"5271061".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 17:17
S28	2	"5016276".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/01 17:17
S29	48	(retriev\$ or obtain\$) near3 (parameter or value or information) near2 public with encrypt\$ and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 09:59
S30	25	(generat\$ or comput\$2) near2 (service or host) near2 (name or address) with key and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 10:02
S31	9	(generat\$ or comput\$2) near3 (service or host) near2 (name or address) with public and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 10:03
S32	2	(generat\$) near3 (service or host) near2 (name or address) with public and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 10:04
S33	0	generat\$ near2 (provider or service) near (name or address) with public adj key and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 10:05
S34	363	(generat\$ or calculat\$) near2 (host or server) near (name or address) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 10:06
S35	2	(generat\$ or calculat\$) near2 (host or server) near (name or address) near3 (obtain\$ or receiv\$) with (information or data or parameter) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 10:09

S36	3	(generat\$ or calculat\$) near2 (host or server) near (name or address) with \$crypt\$ with (information or data or parameter) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 10:10
S37	337	(generat\$ or calculat\$) near2 (host or server) near (name or address or id or identi\$) with (id or identi\$) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 10:12
S38	19	(generat\$ or calculat\$) near2 (host or server) near (name or address or id or identi\$) with (id or identi\$) and identity with \$crypt\$ and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 10:32
S39	62	e\$mail with public adj key and identity with \$crypt\$ and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 10:39
S40	3	e\$mail with public adj key and identity with \$crypt\$ and determin\$ with trusted with (authority or party) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 10:47
S41	1	e\$mail with public adj key and identity with \$crypt\$ and find\$ with trusted with (authority or party) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 10:48
S42	3	(e\$mail or address or name) with public adj key and identity with \$crypt\$ and find\$ with trusted with (authority or party) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 10:48
S43	2	(e\$mail or address or name) with public adj key and identity with \$crypt\$ and contact\$ with trusted with (authority or party) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 10:53
S44	1	(e\$mail or address or name) with public adj key and identity with \$crypt\$ and search\$ with trusted with (authority or party) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 10:54
S45	16	e\$mail near2 address with (contact\$ or locat\$ or determin\$ or search\$) with (host or server) with key and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 10:58
S46	108	(e\$mail or ip) near2 address with (contact\$ or locat\$ or determin\$ or search\$) with (host or server or service or authority) with key and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 10:59

S47	72	(e\$mail or ip) near2 address with (contact\$ or locat\$ or determin\$ or search\$) with (host or server or service or authority) with (\$crypt\$ or parameter) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 10:59
S48	15	(e\$mail or ip) near2 address with (contact\$ or locat\$ or determin\$ or search\$) with (host or server or service or authority) with (\$crypt\$ or parameter) and (identity or id) with \$crypt\$ and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 11:09
S49	18	(ID or identity) near2 \$crypt\$ and (host or server) with (genearat\$ or stor\$4) with parameter and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 11:10
S50	18	(ID or identity) near2 \$crypt\$ and (host or server) with (genearat\$ or stor\$4) with \$parameter and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 11:16
S51	6	identicrypt.as. and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 11:17
S52	6	identicrypt.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 11:21
S53	2	"20030182573".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 11:41
S54	3008	(e\$mail or ip) adj (address or DNS or name) with (host or server) with (contact\$ or locat\$ or determin\$ or query) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 11:42
S55	35	(e\$mail or ip) adj (address or DNS or name) with (host or server) with (contact\$ or locat\$ or determin\$ or query) and (identity or id) adj2 \$crypt\$ and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 11:50
S56	1	(e\$mail or ip) adj (address or DNS or name) with trusted adj authority and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 11:50
S57	19	(e\$mail or ip) adj (address or DNS or name) with certificate adj authority and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 11:52

S58	82	(e\$mail or ip) adj (address or DNS or name) with (deriv\$ or generat\$) near2 (host or server) near2 (address or name) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 13:25
S59	17	e\$mail near2 call\$back and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 13:28
S60	3	digital with certificate with public with private with attribute with key and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 13:29
S61	275	authentikat\$ with (id or identity) near2 (\$crypt\$) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 13:29
S62	0	authentikat\$ with (id or identity) near2 (\$crypt\$) with (host or server) with (parameter or variable) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 13:30
S63	4	authentikat\$ with (id or identity) with (\$crypt\$) with (host or server) with (parameter or variable) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 13:33
S64	30	e\$mail with (id or identity) near2 \$crypt\$ and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 13:41
S65	349	(id or identity) near2 \$crypt\$ and request\$ with (parameter or escrow or information) near3 (host or service or server) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 13:42
S66	3	(id or identity) near2 \$crypt\$ and request\$ with (parameter or escrow or information) near3 (host or service or server) with e\$mail and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 13:51
S67	0	pgp.as. and (identity or role or id)near2 \$crypt\$.ab. and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 13:51
S68	1	pgp.as. and (identity or role or id)near2 \$crypt\$ and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 13:52
S69	8	(identity or role or id) near2 \$crypt\$ and request\$ with public with parameter and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 14:10

S70	7	(identity or role or id) near2 \$crypt\$ with public with parameter and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 14:11
S71	8	(US-6061448-\$ or US-5150411-\$). did. or (US-20030198348-\$ or US-20030081785-\$ or US-20030211842-\$ or US-20040003251-\$ or US-20030182554-\$ or US-20030149881-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/11/02 14:13
S72	4	((US-6061448-\$ or US-5150411-\$). did. or (US-20030198348-\$ or US-20030081785-\$ or US-20030211842-\$ or US-20040003251-\$ or US-20030182554-\$ or US-20030149881-\$).did.) and parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 14:13
S73	4	((US-6061448-\$ or US-5150411-\$). did. or (US-20030198348-\$ or US-20030081785-\$ or US-20030211842-\$ or US-20040003251-\$ or US-20030182554-\$ or US-20030149881-\$).did.) and certificate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 14:16
S74	0	(identity or role or id) adj based adj \$crypt\$ with certificate and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 14:18
S75	81	(identity or role or id) near2 \$crypt\$ with certificate and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 14:51
S76	1	down\$load with public near2 parameter and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 14:52
S77	0	down\$load with [arameter with \$crypt\$ and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 14:52
S78	5	down\$load with parameter with \$crypt\$ and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 15:00
S79	0	params with identity near2 \$crypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 15:03

S80	7	parameter with identity near2 \$crypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 15:30
S81	5	generat\$ with host adj name with e\$mail and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 15:31
S82	0	e\$mail with identity near2 \$crypt\$ with host and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 15:32
S83	38	boneh.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 15:35
S84	2	secure near e\$mail and IBE	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 15:36
S85	17	secure near e\$mail and identity near2 encrypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 15:36
S86	6	identity near2 encrypt\$ with parameter and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 15:37
S87	1	identity near2 encrypt\$ with detail and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 15:37
S88	5	identity near2 encrypt\$ and public adj parameter and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 15:45
S89	40	((identity or id or role) adj based adj \$crypt\$ and @aD<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 15:45
S90	34	((identity or id or role) adj based adj \$crypt\$ and @aD<="20030625") not identicrypt.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 15:52
S91	129	(deriv\$ or generat\$)near2 (host or server) near3 (name or address) with (ip or e\$mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 15:54

S92	61	authentica\$ with certificate and identity near2 \$crypt\$ and @aD<="20010625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 16:00
S93	0	parameter with directory with (identity or id) near2 \$crypt\$ and @aD<="20010625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 16:37
S94	376	digital adj certificate with public near key and @aD<="20010625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/02 16:37
S95	7	digital adj certificate with public near key with encrypt\$ and identity near2 \$crypt\$ and @aD<="20010625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 11:04
S96	3	e\$email near (host or server) with ((certificate near authority) or CA) and @aD<="20010625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 11:07
S97	20	e\$email near (address) with (find\$ or determin\$) with (domain or address) near2 (host or server) and @aD<="20010625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 11:08
S98	3	(chang\$3 or modif\$ or alter\$ or append\$ or prepend\$) near2 (e\$email) near address with (host or server) near (address) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 11:36
S99	3	(chang\$3 or modif\$ or alter\$ or append\$ or prepend\$) near2 (e\$email) near address with (host or server) near (address) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 11:56
S100	6	(chang\$3 or modif\$ or alter\$ or append\$ or prepend\$) near2 (e\$email) near address with (host or server) near (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 12:00
S101	17	(chang\$3 or modif\$ or alter\$ or append\$ or prepend\$) near2 (e\$email) near address with e\$email near2 (host or server) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 12:23
S102	4	(identity or ID) near2 \$crypt\$ with stor\$3 near2 public and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 12:32
S103	0	(identity or ID) near2 \$crypt\$ with stor\$3 near2 parameter and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 12:32

S10 6	3	e\$email near (server or host) near3 public adj key and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 13:23
S10 7	12	e\$email near (server or host) with public adj key and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 14:40
S10 8	1	e\$email near (server or host) near3 re\$direct\$ with address and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 13:26
S10 9	60	e\$email near (server or host) with (re\$direct\$ or forward\$) with address and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 13:27
S11 0	0	e\$email near (server or host) with stor\$3 near2 key and (obtain\$ or generat\$) near2 address near2 (server or host) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 13:35
S11 1	9	(obtain\$ or generat\$) near2 address near2 (server or host) near2 e\$email and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 13:36
S11 2	3	(append\$ or prepend\$ or concatenat\$) near2 e\$email near2 address with (host or server) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 13:39
S11 3	17	(US-20020073233-\$ or US-20020188690-\$ or US-20030081785-\$ or US-20030149881-\$ or US-20030179885-\$ or US-20030182554-\$ or US-20030198348-\$ or US-20030211842-\$ or US-20040003251-\$ or US-20040002385-\$ or US-20030115448-\$ or US-20030120733-\$).did. or (US-5150411-\$ or US-6061448-\$ or US-6304974-\$ or US-6356937-\$ or US-6396830-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/11/03 14:19
S11 4	18	e\$email near2 (server or host) with public adj key and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 14:41

S11 5	17	(US-20020073233-\$ or US-20020188690-\$ or US-20030081785-\$ or US-20030149881-\$ or US-20030179885-\$ or US-20030182554-\$ or US-20030198348-\$ or US-20030211842-\$ or US-20040003251-\$ or US-20040002385-\$ or US-20030115448-\$ or US-20030120733-\$).did. or (US-5150411-\$ or US-6061448-\$ or US-6304974-\$ or US-6356937-\$ or US-6396830-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/11/03 17:15
S11 6	16	S115 and e\$mail	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 17:15
S11 7	8	S115 and e\$mail with message	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 17:34
S11 8	4	S115 and pkg	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 17:42
S11 9	1	S115 and pkg with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 17:42
S12 0	106826	setup	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 17:53
S12 1	5	S115 and setup	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 17:53
S12 2	62	authentica\$ near3 server with receiv\$ with public adj key and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 18:47
S12 3	32	(compar\$ or match) with (address or name) near2 server with (authentica\$ or verif\$ or validat\$) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 18:50
S12 4	43	(compar\$ or match) with (address or name) near2 e\$mail with (authentica\$ or verif\$ or validat\$) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 18:55

S12 5	26	(compar\$ or match) near3 (address or name) near2 e\$mail with (authenticat\$ or verif\$ or validat\$) and @ad<="20030625"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/03 18:55
----------	----	---	---	----	-----	------------------